

GolangWebServerHTTP
goframepanicServerpanic

Content Menu

-
-
-
-
-
-

HTTPpanicServer

RequestGetError

 recovergoframeServer

```
// GetError returns the error occurs in the procedure of the request.  
// It returns nil if there's no error.  
func (r *Request) GetError() error
```

HOOK

- 
- ServerServerServernginxerror.log
 - goframeerrorgerror - Servererror

```

package main

import (
    "github.com/gogf/gf/v2/frame/g"
    "github.com/gogf/gf/v2/net/ghttp"
)

func MiddlewareErrorHandler(r *ghttp.Request) {
    r.Middleware.Next()
    if err := r.GetError(); err != nil {
        //
        g.Log("exception").Error(err)
        //
        r.Response.ClearBuffer()
        r.Response.Writeln("")
    }
}

func main() {
    s := g.Server()
    s.Use(MiddlewareErrorHandler)
    s.Group("/api.v2", func(group *ghttp.RouterGroup) {
        group.ALL("/user/list", func(r *ghttp.Request) {
            panic("db error: sql is xxxxxxx")
        })
    })
    s.SetPort(8199)
    s.Run()
}

```

curl

```

$ curl -v "http://127.0.0.1:8199/api.v2/user/list"
> GET /api.v2/user/list HTTP/1.1
> Host: 127.0.0.1:8199
> User-Agent: curl/7.61.1
> Accept: */*
>
< HTTP/1.1 500 Internal Server Error
< Server: GF HTTP Server
< Date: Sun, 19 Jul 2020 07:44:30 GMT
< Content-Length: 52
< Content-Type: text/plain; charset=utf-8
<

```

WebServerWebServerpanic

```
package main

import (
    "github.com/gogf/gf/v2/frame/g"
    "github.com/gogf/gf/v2/net/ghttp"
)

func MiddlewareErrorHandler(r *ghttp.Request) {
    r.Middleware.Next()
    if err := r.GetError(); err != nil {
        r.Response.ClearBuffer()
        r.Response.Writef("%+v", err)
    }
}

func main() {
    s := g.Server()
    s.Use(MiddlewareErrorHandler)
    s.Group("/api.v2", func(group *ghttp.RouterGroup) {
        group.ALL("/user/list", func(r *ghttp.Request) {
            panic("db error: sql is xxxxxxx")
        })
    })
    s.SetPort(8199)
    s.Run()
}
```

```
%+v-curl
```

```
$ curl "http://127.0.0.1:8199/api.v2/user/list"
db error: sql is xxxxxxxx
1. db error: sql is xxxxxxxx
1). main.main.func1.1
    /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/.example
/other/test.go:25
2). github.com/gogf/gf/v2/net/httputil.(*middleware).Next.func1.8
    /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/httputil/httputil_request_middleware.go:111
3). github.com/gogf/gf/v2/net/httputil.niceCallFunc
    /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/httputil/httputil_func.go:46
4). github.com/gogf/gf/v2/net/httputil.(*middleware).Next.func1
    /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/httputil/httputil_request_middleware.go:110
5). github.com/gogf/gf/v2/util/gutil.TryCatch
    /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/util
/gutil/gutil.go:46
6). github.com/gogf/gf/v2/net/httputil.(*middleware).Next
    /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/httputil/httputil_request_middleware.go:47
7). main.MiddlewareErrorHandler
    /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/.example
/other/test.go:10
8). github.com/gogf/gf/v2/net/httputil.(*middleware).Next.func1.9
    /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/httputil/httputil_request_middleware.go:117
9). github.com/gogf/gf/v2/net/httputil.niceCallFunc
    /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/httputil/httputil_func.go:46
10). github.com/gogf/gf/v2/net/httputil.(*middleware).Next.func1
    /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/httputil/httputil_request_middleware.go:116
11). github.com/gogf/gf/v2/util/gutil.TryCatch
    /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/util
/gutil/gutil.go:46
12). github.com/gogf/gf/v2/net/httputil.(*middleware).Next
    /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/httputil/httputil_request_middleware.go:47
13). github.com/gogf/gf/v2/net/httputil.(*Server).ServeHTTP
    /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/httputil/httputil_server_handler.go:122
```

gerrorWebServer

```

package main

import (
    "github.com/gogf/gf/v2/errors/gerror"
    "github.com/gogf/gf/v2/frame/g"
    "github.com/gogf/gf/v2/net/ghttp"
)

func MiddlewareErrorHandler(r *ghttp.Request) {
    r.Middleware.Next()
    if err := r.GetError(); err != nil {
        r.Response.ClearBuffer()
        r.Response.Writef("%+v", err)
    }
}

func DbOperation() error {
    // ...
    return gerror.New("DbOperation error: sql is xxxxxxxx")
}

func UpdateData() {
    err := DbOperation()
    if err != nil {
        panic(gerror.Wrap(err, "UpdateData error"))
    }
}

func main() {
    s := g.Server()
    s.Use(MiddlewareErrorHandler)
    s.Group("/api.v2", func(group *ghttp.RouterGroup) {
        group.ALL("/user/list", func(r *ghttp.Request) {
            UpdateData()
        })
    })
    s.SetPort(8199)
    s.Run()
}

```

curl

```

$ curl "http://127.0.0.1:8199/api.v2/user/list"
UpdateData error: DbOperation error: sql is xxxxxxxx
1. UpdateData error
   1). main.UpdateData
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/.example
/others/test.go:25
   2). main.main.func1.1
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/.example
/others/test.go:34
   3). github.com/gogf/gf/v2/net/ghttp.(*middleware).Next.func1.8
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/ghttp/ghttp_request_middleware.go:111
   4). github.com/gogf/gf/v2/net/ghttp.niceCallFunc
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/ghttp/ghttp_func.go:46
   5). github.com/gogf/gf/v2/net/ghttp.(*middleware).Next.func1
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/ghttp/ghttp_request_middleware.go:110
   6). github.com/gogf/gf/v2/util/gutil.TryCatch
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/util
/gutil/gutil.go:46
   7). github.com/gogf/gf/v2/net/ghttp.(*middleware).Next
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/ghttp/ghttp_request_middleware.go:47
   8). main.MiddlewareErrorHandler
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/.example

```

```
/other/test.go:10
 9). github.com/gogf/gf/v2/net/ghttp.(*middleware).Next.func1.9
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/ghttp/ghhttp_request_middleware.go:117
 10). github.com/gogf/gf/v2/net/ghttp.niceCallFunc
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/ghttp/ghhttp_func.go:46
 11). github.com/gogf/gf/v2/net/ghttp.(*middleware).Next.func1
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/ghttp/ghhttp_request_middleware.go:116
 12). github.com/gogf/gf/v2/util/gutil.TryCatch
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/util
/gutil/gutil.go:46
 13). github.com/gogf/gf/v2/net/ghttp.(*middleware).Next
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/ghttp/ghhttp_request_middleware.go:47
 14). github.com/gogf/gf/v2/net/ghttp.(*Server).ServeHTTP
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/ghttp/ghhttp_server_handler.go:122
2. DbOperation error: sql is xxxxxxxx
 1). main.DbOperation
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/.example
/other/test.go:19
 2). main.UpdateData
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/.example
/other/test.go:23
 3). main.main.func1.1
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/.example
/other/test.go:34
 4). github.com/gogf/gf/v2/net/ghttp.(*middleware).Next.func1.8
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/ghttp/ghhttp_request_middleware.go:111
 5). github.com/gogf/gf/v2/net/ghttp.niceCallFunc
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/ghttp/ghhttp_func.go:46
 6). github.com/gogf/gf/v2/net/ghttp.(*middleware).Next.func1
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/ghttp/ghhttp_request_middleware.go:110
 7). github.com/gogf/gf/v2/util/gutil.TryCatch
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/util
/gutil/gutil.go:46
 8). github.com/gogf/gf/v2/net/ghttp.(*middleware).Next
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/ghttp/ghhttp_request_middleware.go:47
 9). main.MiddlewareErrorHandler
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/.example
/other/test.go:10
 10). github.com/gogf/gf/v2/net/ghttp.(*middleware).Next.func1.9
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/ghttp/ghhttp_request_middleware.go:117
 11). github.com/gogf/gf/v2/net/ghttp.niceCallFunc
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/ghttp/ghhttp_func.go:46
 12). github.com/gogf/gf/v2/net/ghttp.(*middleware).Next.func1
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/ghttp/ghhttp_request_middleware.go:116
 13). github.com/gogf/gf/v2/util/gutil.TryCatch
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/util
/gutil/gutil.go:46
 14). github.com/gogf/gf/v2/net/ghttp.(*middleware).Next
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/ghttp/ghhttp_request_middleware.go:47
 15). github.com/gogf/gf/v2/net/ghttp.(*Server).ServeHTTP
      /Users/john/Workspace/Go/GOPATH/src/github.com/gogf/gf/v2/net
/ghttp/ghhttp_server_handler.go:122
```

