

# -genv

```
import "github.com/gogf/gf/v2/os/genv"
```

<https://pkg.go.dev/github.com/gogf/gf/v2/os/genv>

## SetMap

```
func SetMap(m map[string]string) error
```

```
genv.SetMap(g.MapStrStr{
    "APPID":    "order",
    "THREAD":   "16",
    "ENDPOINTS": "127.0.0.1:6379",
})
```

## GetWithCmd

```
func GetWithCmd(key string, def ...interface{}) *gvar.Var
```

```
genv.GetWithCmd("gf.debug")GF_DEBUGgf.debug
```

⋮

## All

```
func All() []string
```

```
`key=value`
```

## Map

```
func Map() map[string]string
```

```
`map`
```

## Get

```
func Get(key string, def ...interface{}) *gvar.Var
```

```
key
```

### Content Menu

- [SetMap](#)
- [GetWithCmd](#)
- [All](#)
- [Map](#)
- [Get](#)
- [Set](#)
- [SetMap](#)
- [Contains](#)
- [Remove](#)
- [Build](#)

## Set

```
func Set(key, value string) error
```

keyvalueError

## SetMap

```
func SetMap(m map[string]string) error
```

map

## Contains

```
func Contains(key string) bool
```

key

## Remove

```
func Remove(key ...string) error
```

## Build

```
func Build(m map[string]string) []string
```

map