

GoFramegf

- <https://github.com/gogf/gf/tree/master/cmd/gf>

gfgf -hgf COMMAND -hgf gen -h

- 1.
- 2.

1. Golang
2. CLI

hackhack/config.yaml-

```
# GoFrame CLI tool configuration.
gfcli:
  gen:
    dao:
      - link:          "mysql:root:12345678@tcp(127.0.0.1:3306)/test"
        tables:       "user"
        removePrefix: "gf_"
        descriptionTag: true
        noModelComment: true

    docker:
      build: "-a amd64 -s linux -p temp"
      tagPrefixes:
        - ccr.ccs.tencentyun.com/xxx
        - hkccr.ccs.tencentyun.com/xxx
        - sgccr.ccs.tencentyun.com/xxx
```

debug

```
gf build main.go --debug
```



gfGoFrame

gf cli v2.0.0

Content Menu

-
-
-
-
-
-

```

$ gf
USAGE
  gf COMMAND [OPTION]

COMMAND
  env      show current Golang environment variables
  run      running go codes with hot-compiled-like feature
  gen      automatically generate go files for dao/dto/entity/pb
/pbentity...
  init     create and initialize an empty GoFrame project
  pack     packing any file/directory to a resource file, or a go file
  build    cross-building go project for lots of platforms
  docker   build docker image for current GoFrame project
  install  install gf binary to system (might need root/admin
permission)
  version  show version information of current binary

OPTION
  -y, --yes      all yes for all command without prompt ask
  -v, --version  show version information of current binary
  -d, --debug    show internal detailed debugging information
  -h, --help     more information about this command

ADDITIONAL
  Use "gf COMMAND -h" for details about a command.

```

- [-install](#)
- [-version](#)
- [-up](#)
- [-init](#)
- [-build](#)
- [-gen\(\)](#)
 - [-gen ctrl](#)
 - [-gen dao](#)
 - [-gen service](#)
 - [-gen enums](#)
 - [-gen pb](#)
 - [PB-gen pbentity](#)
- [-run](#)
- [-pack](#)
- [-docker](#)
- [-fix](#)
- [-help](#)