

GoFrameGoFrame



GoFrameGolang



/GolangGolang

<https://www.bilibili.com/video/BV1Uu4y1u7kX>

<https://github.com/gogf/gf/releases>

github

## Mac

```
wget -O gf "https://github.com/gogf/gf/releases/latest/download/gf_$(go env GOOS)_$(go env GOARCH)" && chmod +x gf && ./gf install -y && rm ./gf
```



- `wgetbrew install wget`
- `zshgfgit fetch`

## Linux

```
wget -O gf "https://github.com/gogf/gf/releases/latest/download/gf_$(go env GOOS)_$(go env GOARCH)" && chmod +x gf && ./gf install -y && rm ./gf
```



wget

- `Ubuntu/Debian apt-get install wget -y`
- `CentOS/RedHat yum install wget -y`

## Windows

```
git clone https://github.com/gogf/gf && cd gf/cmd/gf && go install
```

### Content Menu

•

•

○

- [Mac](#)
- [Linux](#)
- [Windows](#)

○

○

•

•

•

```
$ gf -v
GoFrame CLI Tool v2.1.3, https://goframe.org
GoFrame Version: cannot find goframe requirement in go.mod
CLI Installed At: /Users/john/Workspace/Go/GOPATH/bin/gf
CLI Built Detail:
  Go Version: go1.17.13
  GF Version: v2.1.3
  Git Commit: 2022-08-22 14:40:48 91d8d71821012aef4a35b5f9e7b4fbfc04f3ffe7
  Build Time: 2022-08-22 14:48:37
```

 zshgfgit fetch


✔ WEBHTTP Web Server

```
$ cd demo && gf run main.go
build: main.go
go build -o ./main main.go
./main
build running pid: 76159
2022-08-22 12:20:59.058 [INFO] swagger ui is serving at address:
http://127.0.0.1:8000/swagger/
2022-08-22 12:20:59.058 [INFO] openapi specification is serving at
address: http://127.0.0.1:8000/api.json
2022-08-22 12:20:59.059 [INFO] pid[76159]: http server started listening
on [:8000]
```


| ADDRESS | METHOD | ROUTE      | MIDDLEWARE                                                                              |
|---------|--------|------------|-----------------------------------------------------------------------------------------|
| :8000   | ALL    | /*         | github.com/gogf/gf/v2/net/ghttp.<br>internalMiddlewareServerTracing   GLOBAL MIDDLEWARE |
| :8000   | ALL    | /api.json  | github.com/gogf/gf/v2/net/ghttp.<br>(*Server).openapiSpec                               |
| :8000   | GET    | /hello     | demo/internal/controller.(*cHello).<br>Hello   ghttp.MiddlewareHandlerResponse          |
| :8000   | ALL    | /swagger/* | github.com/gogf/gf/v2/net/ghttp.<br>(*Server).swaggerUI   HOOK_BEFORE_SERVE             |

Web8000OpenAPISwagger/hello

<http://127.0.0.1:8000/hello>



Swagger



go.mod

```
gf up -a
```

- -
- -
- -
- -What's Next