

# ORM-AllAndCount

v2.5.0

```
// AllAndCount retrieves all records and the total count of records from the model.  
// If useFieldForCount is true, it will use the fields specified in the model for counting;  
// otherwise, it will use a constant value of 1 for counting.  
// It returns the result as a slice of records, the total count of records, and an error if any.  
// The where parameter is an optional list of conditions to use when retrieving records.  
//  
// Example:  
//  
//     var model Model  
//     var result Result  
//     var count int  
//     where := []interface{}{"name = ?", "John"}  
//     result, count, err := model.AllAndCount(true)  
//     if err != nil {  
//         // Handle error.  
//     }  
//     fmt.Println(result, count)  
func (m *Model) AllAndCount(useFieldForCount bool) (result Result, totalCount int, err error)
```

Limit/Page

```
// SELECT `uid`, `name` FROM `user` WHERE `status`='deleted' LIMIT 0,10  
// SELECT COUNT(`uid`, `name`) FROM `user` WHERE `status`='deleted'  
all, count, err := Model("user").Fields("uid", "name").Where("status", "deleted").Limit(0, 10).AllAndCount(true)  
  
// SELECT `uid`, `name` FROM `user` WHERE `status`='deleted' LIMIT 0,10  
// SELECT COUNT(1) FROM `user` WHERE `status`='deleted'  
all, count, err := Model("user").Fields("uid", "name").Where("status", "deleted").Limit(0, 10).AllAndCount  
(false)
```